The strength of our product portfolio

POS · POS Boxes · Self-Checkout · Self-Ordering · KDS

A partner for the entire customer journey – from the **checkout counter** to **the kitchen**.

POS-Systems

POS in Windows · Android · Linux



5 Models

- **A3** 15"
- **S2** 15"
- **S2P** 15.6"
- **S3** 15"
- **S3P** 15.6"

POS Boxes

Background processing power



2 Models

- **D2** Compact
- **D3** Compact

Self-Checkout

Different models ... same purpose




5 Models*

- **Z2** 21.5" / 27"
- **Z2P** 27"
- **Z3** 21.5"
- **Z3P** 27"
- **F1** 15" / 15.6" / 21.5"

Self-Ordering Outdoors

Keep ordering even outdoors




2 Models

- **H2** 27" Outdoors
- **H3** 15" Outdoors

Kitchen Display System

Kitchen Environments



1 Model

- **KC22** 21.5" KDS IP65

* Some variants of these models are available under different Product name

01

PRODUCT FAMILY

Self-Checkout Windows


AVAILABLE SCREEN SIZES



15" 15.6" 21.5" 27"

CCL Z2 Series Windows

Self-Checkout · 21.5” · 27”



Z2	Z2K	Z2P	Z2T
21.5”	21.5”	27”	27”

CCL Z2 Model

Self-Checkout · 21.5"

Modular self-checkout – on the counter, the wall or a floor stand.

Countertop · Wall mount



Floor Stand & Bagging



Display

21.5" PCAP 10-point touch
1920x1080 · 250 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 4G · 8G

SSD

M.2 SATA 128G · 256G

I/O Ports

2*USB*2.0 · 2*USB 3.0 · 3*RS232 · 1*RJ45 LAN · 2*5W Speakers · 1*24V Powered USB · 3*12V Powered USB · 1*HDMI

Printer

Epson EU-m30 or
HPRT TC862 · 80/58 mm

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom EMV bracket
MSR 3-track (option)

Camera

3D camera supporting facial payment (option)

Design

Fanless, Modular

Colour

Black or White

Conformity

EAA-compliant
Retro-kit for installed base

Loss Prevention

Alarm Light & IP camera ready

CCL Z2K Model

Self-Checkout · 21.5"

Same as Z2, only Printer and Barcode Scanner design change



Display

21.5" PCAP 10-point touch
1920x1080 · 250 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 4G · 8G

SSD

M.2 SATA 128G · 256G

I/O Ports

2*USB*2.0 · 2*USB 3.0 · 3*RS232 · 1*RJ45 LAN · 2*5W Speakers · 1*24V Powered USB · 3*12V Powered USB · 1*HDMI

Printer

Epson EU-m30 or
TM-T88VI 80/58 mm paper

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom EMV bracket
MSR 3-track (option)

Camera

3D camera supporting facial payment (option)

Design

Fanless, Modular

Colour

Black or White

Conformity

EAA-compliant
Available on Request

Loss Prevention

Alarm Light & IP camera ready

CCL Z2P Model

Self-Checkout · 27"

The big-screen Z2 – same modular platform, 27" display for maximum visibility

Countertop · Wall mount



Floor Stand & Bagging



Display

27" PCAP 10-point touch
1920x1080 · 300 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 4G · 8G

SSD

M.2 SATA 128G · 256G

I/O Ports

2*USB*2.0 · 2*USB 3.0 · 3*RS232 · 1*RJ45 LAN · 2*5W Speakers · 1*24V Powered USB · 3*12V Powered USB · 1*HDMI

Printer

Epson EU-m30 or
HPRT TC862 · 80/58 mm

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom EMV bracket
MSR 3-track (option)

Camera

3D camera supporting facial payment (option)

Design

Fanless, Modular

Colour

Black or White

Conformity

EAA-compliant
Retro-kit for installed base

Loss Prevention


Alarm Light & IP camera ready

CCL Z2T Model

Self-Checkout · 27"

27" kiosk with NFC integrated in the front panel for contactless journeys.

Countertop · Wall mount



Floor Stand



Display

27" PCAP 10-point touch
1920x1080 · 300 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 4G · 8G

SSD

M.2 SATA 128G · 256G

I/O Ports

2*USB*2.0 · 2*USB 3.0 · 3*RS232 · 1*RJ45 LAN · 2*5W Speakers · 1*24V Powered USB · 3*12V Powered USB · 1*HDMI

Printer

Epson EU-m30 or
TM-T88VI 80/58 mm paper

Scanner

1D/2D scanner, reads mobile phone screens

Payment

EMV bracket · Options: NFC in panel - MSR 3-track

Camera

3D camera supporting facial payment (option)

Design

Fanless, Modular

Colour

Black or White

Conformity


EAA-compliant
Available on Request

Loss Prevention

Alarm Light & IP camera ready

CCL Z3 Series Windows

Self-Checkout · 15.6“ · 21.5” · 27”



Z3D — 15.6”

Z3 — 21.5”

Z3P — 27”


Z3T — 27”

CCL Z3D Model

Self-Checkout · 15.6"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Compact · Space-saver



Floor Stand & more



Display

15.6” TFT LCD · 1920*1080 · 250 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Processor N95
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 4G · 8G · 16G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

2*USB*2.0 · 2*USB 3.0 · 2*RS232 · 1*RJ45 LAN · 2*3W Speakers · 1*24V Powered USB · 1*12V Powered USB · Cash Drawer

Printer

Epson, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Customer Display

Available in 15.6”

VESA

Can be mounted without customer display

Peripherals

MSR · Alarm Light · Customer Display · 3D Camera · EMV Payment Bracket

Design

Compact

Colour


Black

CCL Z3 Model


Self-Checkout · 21.5"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Countertop · Wall mount



Floor Stand & more



Display

21.5" TFT LCD · 1920*1080 · 350 nits

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Celeron® J6412
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 4G · 8G · 16G

SSD

J6412 > M.2 SATA 128G · 256G · 512G
i3 & i5 > M.2 Nvme 128G · 256G · 512G

I/O Ports

6*USB*2.0 · 2*USB 3.0 · 2*RS232 · 1*RJ45 LAN · 1*VGA · 1*HDMI · 2*3W Speakers · 1*24V Powered USB · 3*12V Powered USB

Printer

Epson, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Bezel-free, fanless, modular

Colour

Black or White

Conformity

EAA-compliant

Loss Prevention


AI Camera / Security Scale

CCL Z3P Model


Self-Checkout · 27"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Countertop · Wall mount



Floor Stand & more



Display

27" TFT LCD · 1920*1080 · 350 nits · PCAP Touch

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Celeron® J6412
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 4G · 8G · 16G

SSD

J6412 > M.2 SATA 128G · 256G · 512G
i3 & i5 > M.2 Nvme 128G · 256G · 512G

I/O Ports

6*USB*2.0 · 2*USB 3.0 · 2*RS232 · 1*RJ45 LAN · 1*VGA · 1*HDMI · 2*3W Speakers · 1*24V Powered USB · 3*12V Powered USB

Printer

Epson, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Bezel-free, fanless, modular

Colour

Black or White

Conformity

EAA-compliant

Loss Prevention

AI Camera / Security Scale

CCL Z3T Model

Self-Checkout · 27"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Countertop · Wall mount



Floor Stand



Display

27" TFT LCD · 1920*1080 · 300 nits · PCAP Touch

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Celeron® J6412
Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 4G · 8G

SSD

M.2 SATA 128G · 256G

I/O Ports

J6412 > 4*USB*3.0 · 2*USB 2.0 · 1*VGA
i3 & i5 > 2*USB*3.0 · 4*USB 2.0 · 1*HDMI
Both > 1*RS232 · 1*RJ45 LAN · 2*5W Speakers

Printer

SNBC BT-T180P, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Bezel-free, fanless, modular

Colour

Black or White

Conformity

EAA-compliant

Loss Prevention

AI Camera / Security Scale

02

PRODUCT FAMILY

Self-Checkout Android

AVAILABLE SCREEN SIZES




15.6" 21.5" 27"

CCL Z2 Series Android

Self-Checkout · 21.5” · 27”

Compact · Space-saver



Z2	Z2K	Z2P	Z2T
21.5”	21.5”	27”	27”

CCL Z2 Model

Self-Checkout · 21.5"

Modular self-checkout – on the counter, the wall or a floor stand.

Countertop · Wall mount



Floor Stand & Bagging



Display

21.5" PCAP 10-point touch · 1920x1080 · 250 nits

OS

RK3399 > Android 9 or 11

CPU Android

RK3399 > Dual-core Cortex A72 up to 1.8GHz + Quad-core Cortex A53 up to 1.4GHz

RAM

DDR3 4G

SSD

eMMC 64G + 1*TF

I/O Ports

2*USB 3.0 · 3*12V Powered USB · 1*24V Powered USB · 1*USB 3.0 OTG · 2*RS232 · 1*HDMI · 1*RJ45 LAN · 2*3W Speakers

Printer

Epson EU-m30 or HPRT TC862 · 80/58 mm

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom bracket for various EMV devices · MSR 3-tracks (option)

Camera

3D camera supporting facial payment (option)

Design

Modular

Colour

Black or White

Conformity

EAA-compliant
Retro-kit for installed base

Loss Prevention

Alarm Light & IP camera ready

CCL Z2K Model

Self-Checkout · 21.5"

Same as Z2, only Printer and Barcode Scanner design change



Display

21.5" PCAP 10-point touch · 1920x1080 · 250 nits

OS

RK3399 > Android 9 or 11

CPU Android

RK3399 > Dual-core Cortex A72 up to 1.8GHz + Quad-core Cortex A53 up to 1.4GHz

RAM

DDR3 4G

SSD

eMMC 64G + 1*TF

I/O Ports

2*USB 3.0 · 3*12V Powered USB · 1*24V Powered USB · 1*USB 3.0 OTG · 2*RS232 · 1*HDMI · 1*RJ45 LAN · 2*3W Speakers

Printer

Epson EU-m30 or TM-T88VI 80/58 mm paper

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom bracket for various EMV devices · MSR 3-tracks (option)

Camera

3D camera supporting facial payment (option)

Design

Modular

Colour

Black or White

Conformity

EAA-compliant
Available on Request

Loss Prevention

Alarm Light & IP camera ready

CCL Z2P Model

Self-Checkout · 27"

The big-screen Z2 – same modular platform, 27" display for maximum visibility



Display
27” PCAP 10-point touch · 1920*1080 · 300 nits

OS
RK3399 > Android 9 or 11

CPU Android
RK3399 > Dual-core Cortex A72 up to 1.8GHz + Quad-core Cortex A53 up to 1.4GHz

RAM
DDR3 4G

SSD
eMMC 64G + 1*TF

I/O Ports
2*USB 3.0 · 3*12V Powered USB · 1*24V Powered USB · 1*USB 3.0 OTG · 2*RS232 · 1*HDMI · 1*RJ45 LAN · 2*3W Speakers

Printer
Epson EU-m30 or HPRT TC862 · 80/58 mm paper

Scanner
1D/2D scanner, reads mobile phone screens

Payment
Custom bracket for various EMV devices · MSR 3-tracks (option)

Camera
3D camera supporting facial payment (option)

Design
Modular

Colour
Black or White

Conformity
EAA-compliant
Available on Request


Loss Prevention
Alarm Light & IP camera ready

CCL Z2T Model

Self-Checkout · 27"

27" kiosk with NFC integrated in the front panel for contactless journeys.

Countertop · Wall mount



Floor Stand



Display

27" PCAP 10-point touch · 1920*1080 · 300 nits

OS

RK3399 > Android 9 or 11

CPU Android

RK3399 > Dual-core Cortex A72 up to 1.8GHz + Quad-core Cortex A53 up to 1.4GHz

RAM

DDR3 4G

SSD

eMMC 64G + 1*TF

I/O Ports

2*USB 3.0 · 3*12V Powered USB · 1*24V Powered USB · 1*USB 3.0 OTG · 2*RS232 · 1*HDMI · 1*RJ45 LAN · 2*3W Speakers

Printer

Epson EU-m30 or Epson TM-T88VI 80/58 mm paper

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom bracket for various EMV devices · MSR 3-tracks (option)

Camera

3D camera supporting facial payment (option)

Design

Modular

Colour

Black or White

Conformity

EAA-compliant
Available on Request


Loss Prevention

Alarm Light & IP camera ready

CCL Z3 Series Android

Self-Checkout · 15.6“ · 21.5” · 27”

Compact · Space-saver



Z3D — 15.6”

Z3 — 21.5”


Z3P — 27”

CCL Z3D Model

Self-Checkout · 15.6"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Compact · Space-saver



Countertop . Swivel Base



Display

15.6” TFT LCD · 1920*1080 · 250 nits

OS

RK3568 > Android 11
RK3576 > Android 14

CPU Android

RK3568 > Quad-core Cortex-A55 2.0GHz
RK3576 > Quad-Core Cortex-A72 + Quad-Core Cortex-A53, 2.2GHz

RAM

RK3568 > DDR3 4G
RK3576 > DDR3 8G

SSD

eMMC 64G

I/O Ports

1*USB 3.0 · 2*USB 2.0 · 1*12V Powered USB · 1*RJ11 (with DB9 adapter cable) · 1*USB 3.0 OTG · 2*RS232 · 1*RJ45 LAN · 2*3W Speakers

Printer

Epson EU-m30

Scanner

1D/2D scanner, reads mobile phone screens

Payment

Custom bracket for various EMV devices

Customer Display

Available in 15.6”

VESA

Can be wall-mounted without customer display

Colour


Black

CCL Z3 Model


Self-Checkout · 21.5"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Countertop · Wall mount



Floor Stand & more



Display

21.5” TFT LCD · 1920*1080 · 350 nits

OS

Android 14

CPU Android

RK3576 Quad-Core Cortex-A72 + Quad-Core Cortex-A53, Max Frequency 2.2GHz

RAM

DDR4 4G · 8G · 16G

SSD

J6412 > M.2 SATA 128G · 256G · 512G
i3 & i5 > M.2 Nvme 128G · 256G · 512G

I/O Ports

6*USB*2.0 · 2*USB 3.0 · 2*RS232 · 1*RJ45 LAN · 1*VGA · 1*HDMI · 2*3W Speakers · 1*24V Powered USB · 3*12V Powered USB

Printer

Epson, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Bezel-free, fanless, modular

Colour

Black or White

Conformity

EAA-compliant

Loss Prevention


AI Camera / Security Scale

CCL Z3P Model


Self-Checkout · 27"

The big-screen Z2 – same modular platform, 27" display for maximum visibility

Countertop · Wall mount



Floor Stand & more



Display

27” PCAP 10-point touch · 1920*1080 · 300 nits

OS

RK3568 > Android 14

CPU Android

RK3576, Quad-Core Cortex-A72 + Quad-Core Cortex-A53, up to 2.2GHz

RAM

RK3576 > LPDDR5 4G · 8G · 16G

SSD

E-MMC 32GB · 64GB · 128GB

I/O Ports

4*USB, 2*RS232 · 1*RJ45 LAN · 1*HDMI · 2*5W Speakers · 1*24V Powered USB · 3*12V Powered USB

Printer

Epson, embedded

Scanner

Datalogic, embedded

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Bezel-free, fanless, modular

Colour

Black or White

Conformity

EAA-compliant

Loss Prevention

AI Camera / Security Scale

03

PRODUCT FAMILY

Self-Checkout Traditional

AVAILABLE SCREEN SIZES



15" 15.6" 21.5"

CCL F1 Model


Self-Checkout · 15" · 15.6" · 21.5"

Modular with 3 options for Display 15” · 15.6” · 21.5”

Modular · Elegant Look



Floor Stand & more



Display

15” TFT LCD · 1024 x 768
15.6” FHD · 1920 x 1080
21.5” TFT LCD · 1920 x 1080

OS

Win 10 / Win11 / Linux

CPU Windows

Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 4G · 8G · 16G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

2*USB 2.0 · 3*RJ45 · 1*HDMI · 1*RJ45 LAN · 1*12V Powered USB · 2*5W Speakers

Printer

Epson TM-T88VI, embedded

Scanner

Embedded barcode scanner, supports 1D&2D and scanning cell phone screen

Payment

EMV Payment Bracket

Camera

2D and IP AI camera

Design

Fanless, modular

Colour

Black

Conformity

EAA-compliant

Loss Prevention

AI Camera / Security Scale

04

PRODUCT FAMILY

Self-Service Outdoor

AVAILABLE SCREEN SIZES



15"

27"

CCL H3 Model Outdoor Windows

Outdoor Kiosk · 15"

Rugged stainless steel outdoor kiosk with climate control and IK08 vandal-resistant touch.

Wall mounted



Floor mounted



Display

15" PCAP Touch · 4:3 · 1024x768

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 8GB

SSD

M.2 128G up to 1 TB

I/O Ports

2*USB 3.0 · 6*USB 2.0 · 6*RS232 · 1*HDMI · 1*RJ45 LAN

Printer

Not in standard spec

Scanner

1D/2D scanner, reads mobile phone screens

Payment

PAX IM30 Bracket

Conformity

CE · IP55 CE · IK08

Colour

Black or Ash Grey

Brightness

1800 nits, sunlight-readable

CCL H2 Model Outdoor Windows


Outdoor Kiosk · 27"

Outdoors ordering kiosk – IP55, sunlight-readable, from –30 °C to 50 °C.

Floor Stand



Born to be Outdoors



Display

27" PCAP 10-point touch
1920x1080 · 16:9

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 : 4G · 8G · 16G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

2*USB 3.0 · 1*USB2.0 · 6*RS232 · 1*HDMI · 1*VGA · 1*RJ45 LAN · 2*Speakers 10W

Printer

CUSTOM VKP80III
50–82.5 mm · 200 mm/s

Scanner

1D/2D scanner, reads mobile phone screens

Payment

PAX IM30 Bracket

Conformity

CE · FCC · IP55

Colour

White

Brightness

1800 nits,
sunlight-readable

CCL H2 Model Outdoor Android


Outdoor Kiosk · 27"

Outdoors ordering kiosk – IP55, sunlight-readable, from –30 °C to 50 °C.

Floor Stand



Born to be Outdoors



Display

27" PCAP 10-point touch
1920x1080 · 16:9

OS

Android 14

CPU Android

Rockchip RK3576 Quad-Core Cortex-A72 + Quad-Core Cortex-A53, Max Frequency 2.2GHz

RAM

LPDDR4 4GB · 8GB · 16GB

SSD

eMMC 64GB + 1*TF

I/O Ports

1*USB 3.0 · 5*USB 2.0 · 1*USB3.0 OTG · 2*RS232 · 1*RJ45 LAN · 2*Speakers 10W

Printer

CUSTOM VKP80III
50–82.5 mm · 200 mm/s

Scanner

1D/2D scanner, reads mobile phone screens

Payment

PAX IM30 Bracket

Conformity

CE · FCC · IP55

Colour

White

Brightness


1800 nits,
Sunlight-readable

05


PRODUCT FAMILY

POS Windows

AVAILABLE SCREEN SIZES



CCL Windows POS Portfolio Matrix



CCL A3 Model

POS · 15"

Intel Core power in a silent in a fanless aluminium body

Robust · Fanless



Display

15" Touch · 4:3 · 1024x768 · 300 nits

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® Celeron J6412
Intel® Core™ i3-1115G4
Intel® Core™ i5-1135G7

RAM

DDR4 : 4G · 8G · 16G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

6*USB, 2*RS232 · 1*RJ45 LAN · 1*VGA · 1*2W Speaker · 1*Micro-IN · Cash Drawer · 1*M.2 SATA expansion slot

Customer Display

Available in 9.7" TFT LCD

VESA

Can be mounted without its desktop stand

Peripherals

MSR · RFID · Fingerprint Reader · VFD · Printer · Cash Drawer · iButton-A · Wi-Fi®

Design

Fanless · Cable management

Colour


Black

CCL S2 Model

POS · 15"

12th Gen Intel power, fanless and silent, in an aluminium POS light enough to fit any counter

Elegant · Original



Multiple possibilities



Display

15" Touch · 4:3 · 1024x768 · 300 nits

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® Celeron J6412
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 4G to 8G for J6412
DDR4 4G 8G 16G for i3 & i5

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

7*USB, 2*RJ50 · 1*RJ45 LAN · 1*USB C for 2nd Screen · 2*3W Speakers · Cash Drawer

Customer Display

Available in 2 sizes: 10.1" and 15.6"

VESA

Can be mounted without its desktop stand

Peripherals

MSR · NFC · Fingerprint Reader · VFD · Camera · Printer · Cash Drawer · Wi-Fi®

Design

Bezel-free · Fanless · Cable management

Colour


Black

CCL S3 Model


POS · 15"

Best-in-class all-in-one POS – VESA-compatible, 12th Gen Intel®, full lamination.

Single Screen



Dual Screen



Display

15" Touch · 4:3 · 1024x768 · 400 nits · full lamination

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® N95
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 SO-DIMM 1x slot: 4G (Standard) up to 32G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

7*USB · 2*RJ50 · 1*RJ45 LAN
1*USB C for 2nd Screen
2*3W Speakers · Cash Drawer

Customer Display

15" or 9.7" (option)

VESA

VESA 75 · Expansion or basic base

Peripherals

MSR · NFC · 3D Camera · Wi-Fi®

Design

Full lamination · Dual-hinge base

Colour


Black

CCL S3P Model

POS · 15.6"

Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Elegant · Robust



Desktop Stand · Flat effect



Display

15.6" Touch · 16:9 · 1920x1080 · 350 nits

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® N95
Intel® Core™ i3-1215U
Intel® Core™ i5-1235U

RAM

DDR4 SO-DIMM 1x slot: 4G (Standard) · 8G · 16G · 32G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

7*USB, 2*RJ50 · 1*RJ45 LAN · 1*USB C for 2nd Screen · 2*3W Speakers · Cash Drawer

Customer Display

Available in 2 sizes: 10.1” and 15.6”

VESA

Can be mounted without its desktop stand

Peripherals

MSR · NFC · Fingerprint Reader · VFD · Camera · Printer · Cash Drawer · Wi-Fi®

Design

Bezel-free · Fanless · Cable management

Colour


Black

06

PRODUCT FAMILY

POS ANDROID

AVAILABLE SCREEN SIZES




15"

15.6"

ONLY

CCL Android POS Portfolio Matrix



CCL S2P Model RK3399

POS · 15.6"


Slim, Bezel-free self-checkout for spaces where every centimetre counts.

Elegant · Robust



Desktop Stand · Flat effect





Display

15.6" Touch · 16:9 · 1920x1080 · 350 nits

OS

Android 9

CPU Android

Rockchip RK3399, Dual-core Cortex A72 up to 1.8GHz + Quad-core Cortex A53 up to 1.4GHz

RAM

DDR3 4G

SSD

E-MMC 32G

I/O Ports

2*USB, 2*RJ12 + 2*RJ50 · 1*RJ45 LAN · 1*DisplayPort · 3*12V Powered USB + 1*24V Powered USB
2*2W Speakers · Cash Drawer

Customer Display

Available in 15.6”

VESA

Can be mounted without its desktop stand

Peripherals

MSR · NFC · Fingerprint Reader · VFD · Camera · Printer · Cash Drawer · Wi-Fi®

Design

Bezel-free · Cable management

Colour

Black

CCL S3P Model RK3568

POS · 15.6"

*The S3P platform on Android – **RK3568** VESA-ready with USB-C second display*

Expansion Base



Dual Screen



Display

15.6" Touch · 16:9 · 1920x1080 · 350 nits

OS

Android 11

CPU Android

RK3568 Quad-core 2.0GHz

RAM

LPDDR4 4G

SSD

E-MMC 64G

I/O Ports

6*USB (2*USB 3.0) · 1*RJ11 · 1*RJ45 LAN · 1*USB C for 2nd Screen · Cash Drawer

Customer Display

Available in 2 sizes: 10.1" and 15.6"

VESA

VESA 75 · Expansion or basic base

Peripherals

MSR · NFC · Wi-Fi® 6 · Bluetooth®

Design

Adjustable angle · Cable management

Colour

White or Black

CCL S3P Model RK3576

POS · 15.6"

*The S3P platform on Android – **RK3576** VESA-ready with USB-C second display*

Expansion Base



Dual Screen



Display

15.6" Touch · 16:9 · 1920x1080 · 350 nits

OS

Android 14

CPU Android

RK3576 Octa-core 2.2GHz

RAM

LPDDR5 8G

SSD

E-MMC 64G

I/O Ports

6*USB (2*USB 3.0) · 1*RJ11 · 1*RJ45 LAN · 1*USB C for 2nd Screen · Cash Drawer

Customer Display

Available in 2 sizes: 10.1" and 15.6"

VESA

VESA 75 · Expansion or basic base

Peripherals

MSR · NFC · Wi-Fi® 6 · Bluetooth®

Design

Adjustable angle · Cable management

Color

White or Black

07

PRODUCT FAMILY

KDS

AVAILABLE SCREEN SIZES



21.5"


ONLY

CCL KC22 KDS Model

KDS · 15.6"

A sealed, fanless 21.5” kitchen display with an IP65 front, built to survive grease and steam through every rush

Kitchen Environments



From **0°C** up to **+60°C**

VESA - 75 x 75 mm
100 x 100 mm



Display

21.5” FHD · 16:9 · 1920 x 1080 · 250 nits

OS

Win 10 · Win 11 · Linux

CPU Windows

Intel® N95 4C/4T 3.4GHz 6MB

RAM

DDR4 8G · 16G · 32G

SSD

M.2 SATA 128G · 256G · 512G

I/O Ports

2*USB 3.0 · 2*USB 2.0 · 2*RS232 · 1*RJ45 · 1*HDMI · 1*VGA · Mic/Line-out 2-in-1

Design

Fanless · Fully Sealed · IP65

VESA

VESA 75 x 75 mm
VESA 100 x 100 mm

Colour

Black

CCL 4 Good Reasons to choose CCL technology

01 Truly Modular Solution Range

- **One platform** + building blocks
- Enabling Cash & Card mix
- Optimize m^2

02 Better ROI* and TCO**

- AI / Image Recognition ready
- HW customization capabilities
- **SCO funding possibilities**
- Superior security options

03 Enabling Customer Identity

- Address new segments (Discount, DIY, Fashion)
- 'Kiosk' philosophy **with superior UX** (big screen)

04 Serviceability & Superior Availability

- Easy maintenance and servicing, based on components from market leaders:
- **Sensormatic, Glory, EPSON, Zebra, Datalogic**

* ROI: Return On Investment
** TCO: Total Cost of Ownership